

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050


PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Report Summary

Date Received: Mar 10, 2017

FCL Project Manager: Thomas D. Cross

Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
325876SW1	C-23	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
		SM10200 H	TRB	Main Lab	
325876SW2	C-22	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
SM10200 H	TRB	Main Lab			
325876SW3	CK-21	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
SM10200 H	TRB	Main Lab			
325876SW4	CK-5	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
SM10200 H	TRB	Main Lab			
325876SW5	CK-8	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
SM10200 H	TRB	Main Lab			
325876SW6	CK-14	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
SM10200 H	TRB	Main Lab			
		TotNit			



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876


325876SW7	C-26	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
		SM10200 H	TRB	Main Lab	
		TotNit			
325876SW8	CK-1	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	CCP	Main Lab	
		OrgNit			
		SM10200 H	TRB	Main Lab	
		TotNit			

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAC Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050


Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Analysis Report

Lab #:	Sampled:	Desc:	Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
325876SW1	03/09/17 02:45 PM	C-23	Organic Nitrogen	0.293		0				OrgNit		
			Total Nitrogen(as N)	0.293		0				TotNit	17778-88-0	
			Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336180	EPA350.1	7664-41-7	03/15/17
			NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
			TKN(as N)	0.293 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
			Chlorophyll a	0.270	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
			Total Phosphorus(as P)	0.0142	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17
325876SW2	03/09/17 02:55 PM	C-22	Organic Nitrogen	0.265		0				OrgNit		
			Total Nitrogen(as N)	0.265		0				TotNit	17778-88-0	
			Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336180	EPA350.1	7664-41-7	03/15/17
			NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
			TKN(as N)	0.265 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
			Chlorophyll a	0.200	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
			Total Phosphorus(as P)	0.0192	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17
325876SW3	03/09/17 03:05 PM	CK-21	Organic Nitrogen	0.330		0				OrgNit		
			Total Nitrogen(as N)	0.330		0				TotNit	17778-88-0	
			Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336180	EPA350.1	7664-41-7	03/15/17
			NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
			TKN(as N)	0.330 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
			Chlorophyll a	0.190	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
			Total Phosphorus(as P)	0.0172	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Lab #: 325876SW4 **Sampled:** 03/09/17 03:15 PM **Desc:** CK-5


Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Organic Nitrogen	0		0				OrgNit		
Total Nitrogen(as N)	0		0				TotNit	17778-88-0	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336181	EPA350.1	7664-41-7	03/15/17
NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
TKN(as N)	0.200 U	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
Chlorophyll a	0.160	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
Total Phosphorus(as P)	0.0150	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17

Lab #: 325876SW5 **Sampled:** 03/09/17 03:30 PM **Desc:** CK-8

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Organic Nitrogen	0.330		0				OrgNit		
Total Nitrogen(as N)	0.330		0				TotNit	17778-88-0	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336181	EPA350.1	7664-41-7	03/15/17
NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
TKN(as N)	0.330 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
Chlorophyll a	0.130 I	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
Total Phosphorus(as P)	0.0143	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17

Lab #: 325876SW6 **Sampled:** 03/09/17 03:50 PM **Desc:** CK-14

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Organic Nitrogen	0.275		0				OrgNit		
Total Nitrogen(as N)	0.275		0				TotNit	17778-88-0	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336181	EPA350.1	7664-41-7	03/15/17
NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
TKN(as N)	0.275 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
Chlorophyll a	0.200	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
Total Phosphorus(as P)	0.0126	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050


PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Lab #: 325876SW7 Sampled: 03/13/17 08:00 PM Desc: C-26

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Organic Nitrogen	0.369		0				OrgNit		
Total Nitrogen(as N)	0.369		0				TotNit	17778-88-0	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336181	EPA350.1	7664-41-7	03/15/17
NO3+NO2(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
TKN(as N)	0.369 I	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
Chlorophyll a	0.180	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
Total Phosphorus(as P)	0.0209	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17

Lab #: 325876SW8 Sampled: 03/09/17 04:35 PM Desc: CK-1

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Organic Nitrogen	0.634		0				OrgNit		
Total Nitrogen(as N)	0.674		0				TotNit	17778-88-0	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10336181	EPA350.1	7664-41-7	03/15/17
NO3+NO2(as N)	0.0402	mg/L	1.00	0.0200	0.0400	10336269	EPA353.2	I-005	03/16/17
TKN(as N)	0.634	mg/L	1.00	0.200	0.400	10336328	EPA351.2	7727-37-9	03/16/17
Chlorophyll a	0.210	ug/L	1.00	0.0200	0.150	10336429	SM10200 H	479-61-8	03/17/17
Total Phosphorus(as P)	0.0220	mg/L	1.00	0.00200	0.00400	10336694	EPA365.1	7723-14-0	03/21/17



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050


Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Quality Report

Quality Control Batch: 10336180		Analyst: PCW						
Blank	Result	Units						
Ammonia (as N)	0.0100U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Ammonia (as N)	0.469	mg/L	0.500	93.80	85.00-115.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Ammonia (as N)	0.932	mg/L	1.00	93.20	85.00-115.00	0.0100U		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Ammonia (as N)	0.919	mg/L	1.00	91.90	85.00-115.00	0.0100U	1.40	20.00
Quality Control Batch: 10336181		Analyst: PCW						
Blank	Result	Units						
Ammonia (as N)	0.100U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Ammonia (as N)	0.488	mg/L	0.500	97.60	85.00-115.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Ammonia (as N)	0.817	mg/L	0.780	120.00	85.00-115.00	-0.119		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Ammonia (as N)	0.829	mg/L	0.780	121.54	85.00-115.00	-0.119	1.46	20.00
Quality Control Batch: 10336269		Analyst: PCW						
Blank	Result	Units						
NO3+NO2(as N)	0.0200U	mg/L						



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Quality Control Batch: 10336269		Analyst: PCW						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
NO3+NO2(as N)	2.00	mg/L	2.00	100.00	85.00-115.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
NO3+NO2(as N)	3.62	mg/L	4.00	90.50	85.00-115.00	0.200U		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
NO3+NO2(as N)	3.60	mg/L	4.00	90.00	85.00-115.00	0.200U	0.55	20.00
Quality Control Batch: 10336328		Analyst: VLB						
Blank	Result	Units						
TKN(as N)	0.200U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
TKN(as N)	3.22	mg/L	3.00	107.19	85.00-115.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
TKN(as N)	2.73	mg/L	3.00	81.16	80.00-120.00	0.293		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
TKN(as N)	2.75	mg/L	3.00	81.88	80.00-120.00	0.293	0.79	20.00
Quality Control Batch: 10336429		Analyst: TRB						
Blank	Result	Units						
Chlorophyll a	0.0200U	ug/L						
Quality Control Batch: 10336694		Analyst: CCP						
Blank	Result	Units						
Total Phosphorus(as P)	0.00200U	mg/L						



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Quality Control Batch: 10336694		Analyst: CCP							
Laboratory Control Sample		Result	Units	Spike	%REC	%REC Lim			
Total Phosphorus(as P)		0.600	mg/L	0.500	120.00	85.00-115.00			
Matrix Spike		Result	Units	Spike	%REC	%REC Lim	Sample		
Total Phosphorus(as P)		0.249	mg/L	0.200	117.44	85.00-115.00	0.0142		
Matrix Spike Duplicate		Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Total Phosphorus(as P)		0.247	mg/L	0.200	116.62	85.00-115.00	0.0142	0.66	20.00



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

Florida Keys Aqueduct Authority-WWTP
3375 Overseas Hwy
Marathon, FL 33050

PO #: 16931
Client Project #: Cudjoe Key WWTP -M- SW's
Date Sampled: Mar 9, 2017
Mar 21, 2017; Invoice: 325876

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by FCL. No unusual events occurred during analysis. Results are reported on a wet weight basis.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody
Field Data

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.